



**Article:** PIET P105

**Series:** P-Class

**Execution:** Sandal

**Safety class:** S1 SRC

**Norm:** DIN EN ISO 20345:2011

**ESD-Norm:** DIN EN 61340-4-3

**Upper:** high performance Microvelours

**Flap:** Padded flap

**Lining:** durable and breathable textile lining

**Closure:** double Velcro closure with reflex strip

**Insole:** MAX-3FIT®-System modular width concept

**Toe Cap:** MAX-ALU out of high performance Alu material, especially light, positive shift of the shoe gravity, extra wide

**Sole:** TPU/PU comfort sole with MAX-STG damping system, anti-slip antistatic, oil- and petrol resistant, ESD execution

**Sole color:** black/light grey

**Sizes:** 36-48

**weight:** 550g/size 42

**Other**

**characteristics:** perforated for optimal ventilation, double Velcro fastening, innovative MAX-STG-damping system, equipped with the MAX-3FIT®-System modular width Outer sole especially anti-slip according to test EN13287:2012/SRC, ESD execution according to DIN EN 61340-4-3

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://safetyjogger.nt-rt.ru> || [sgg@nt-rt.ru](mailto:sgg@nt-rt.ru)



DGVU 112-191



MAX 3FIT-SYSTEM®



**Article:** BLUE-PAN P190  
**Series:** P-Class  
**Execution:** Sandal  
**Safety class:** S1 SRC  
**Norm:** DIN EN ISO 20345:2011  
**ESD-Norm:** DIN EN 61340-4-3

**Upper:** a combination of breathable suede and technical textile  
**Flap:** Padded flap  
**Lining:** durable and breathable textile lining  
**Closure:** double Velcro closure with reflex strip  
**Insole:** MAX-3FIT®-System modular width concept  
**Toe Cap:** MAX-ALU out of high performance Alu material, especially light, positive shift of the shoe gravity, extra wide  
**Midsole:** MAX-Flex non-metallic, high flexible penetration resisting midsole out of multi layer ceramic texture  
**Sole:** MAX-NoSlip PU/PU sole, extreme anti-slip, damping elements in the heel area, antistatic, oil- and petrol resistant, ESD execution  
**Sole color:** black/light grey

**Sizes:** 36-48  
**weight:** 570g/size 42

**Other**

**characteristics:** especially abrasive resistant PU-leather in the front area. Due to the paramagnetic characteristics of the Alu cap the shoe will not be realised by metal detectors. Outer sole especially anti-slip according to test EN13287:2012/SRC, ESD execution according to DIN EN 61340-4-3



MAX  
Flex

MAXGUARD  
MED  
+  
DGUV 112-191

produced in  
EUROPE



**Article:** COLIN C140

**Series:** C-Class

**Execution:** Sandal

**Safety class:** S1P SRC

**Norm:** DIN EN ISO 20345/S1P

**Upper:** Suede

**Flap:** Padded flap

**Lining:** functional lining three dimensional, breathable

**Closure:** double Velcro

**Insole:** rechargeable footbed, antistatic,

**Toe Cap:** 200J stainless steel

**Midsole:** MAX-Flex non-metallic, high flexible Grip Bio dynamic PU/PU sole especially slip resistant, 5 mm profile, especially high damping in heel and forefoot area, antistatic, oil- and petrol resistant

**Sole:** MAX-NoSlip PU/PU sole, extreme anti-slip, damping elements in the heel area, antistatic, oil- and petrol resistant

**Sole color:** black/grey

**Sizes:** 36-48

**weight:** 620g/size 42

**Other**

**characteristics:** reflex material on the upper, elevated sole edge in toe and heel area, sole especially slip-resistant, according to test EN ISO13287:2012/SRC



DGVU 112-191



**Article:** CAMERON C800

**Series:** C-Class

**Execution:** Laced Boots

**Safety class:** S3 SRC

**Norm:** DIN EN ISO 20345:2011

**Upper:** smooth cow hide leather, black

**Flap:** lined flap

**Lining:** warm wool lining

**Laces:** round laces black/grey

**Insole:** warm wool insole

**Toe Cap:** MAX-LIGHT 200J toe cap out of synthetic material, extra wide

**Midsole:** MAX-Flex non-metallic, high flexible penetration resisting midsole out of multi layer ceramic texture

**Sole:** MAX-Grip-Bio-Dynamic PU/PU sole, extreme anti-slip, 5 mm profile, especially high damping in the heel and forefoot area, antistatic, oil- and petrol resistant, ESD execution

**Sole color:** black/grey

**Sizes:** 38-48

**weight:** 720g/size 42

**Other**

**characteristics:** elevated sole edge in toe and heel area, sole especially slip-resistant, according to test EN13287:2012/SRC



**Article:** ALEX A110

**Series:** A-Class

**Execution:** Sandal

**Safety class:** S1P

**Norm:** DIN EN ISO 20345/S1P

**Upper:** leather, moulded, black

**Flap:** leather flap

**Lining:** durable textile lining

**Closure:** stable Velcro closure with integrated reflex stripes

**Insole:** rechargeable footbed, antistatic

**Toe Cap:** 200J out of stainless steel

**Midsole:** stainless, penetration resisting steel sole

**Sole:** PU/PU anti-slip, antistatic, oil and petrol resistant

**Sole color:** black

**Sizes:** 36-48

**weight:** 570g/size 42

**Other**

**characteristics:** reflex stripes, raised sole edge in toe area for upper protection



<b>Artikel:</b>	<b>ARNE A170</b>
<b>Series:</b>	A-Class
<b>Execution:</b>	Sandal
<b>Safety class:</b>	S1P
<b>Norm:</b>	DIN EN ISO 20345/S1P
<b>Upper:</b>	breathable Microfibre combined with Cordura
<b>Lining:</b>	durable textile lining
<b>Closure:</b>	stable Velcro closure with integrated reflex stripes
<b>Insole:</b>	rechargeable footbed, antistatic
<b>Toe Cap:</b>	200J out of stainless steel
<b>Midsole:</b>	stainless, penetration resisting steel sole
<b>Sole:</b>	PU/PU anti-slip, antistatic, oil and petrol resistant
<b>Sole color:</b>	black
<b>Sizes:</b>	36-48
<b>weight:</b>	580g/size 42
<b>Other characteristics:</b>	reflex stripes, raised sole edge in toe area for upper protection



**Article:** ASHTON A810

**Series:** L-Class

**Execution:** Winter Boots, laced

**Safety class:** S3 CI

**Norm:** DIN EN ISO 20345/S3 CI

**Upper:** leather, moulded, black

**Flap:** lined and padded flap

**Lining:** cold isolating pile lining

**Laces:** round laces, red/black

**Insole:** cold isolating pile lining

**Toe Cap:** 200J out of stainless steel

**Midsole:** stainless, penetration resisting steel sole

**Sole:** PU/PU anti-slip, antistatic, oil and petrol resistant

**Sole color:** black

**Sizes:** 38-48

**weight:** 690g/size 42

**Other**

**characteristics:** raised sole edge in toe area for upper protection



MAX  
Flex

MAX  
LIGHT

100%  
metal free

Gr. 50



engineered in  
GERMANY



**Article:** CROSS C750

**Series:** X-Class  
**Execution:** Shaft Boots  
**Safety class:** S3 WRU HRO  
**Norm:** DIN EN ISO 20345:2011

**Upper:** smooth, full grain cowhide, waterproof  
**Lining:** MAX-TEX MEMBRANE waterproof, laminated with special lining  
**Insole:** MAX-RELAX rechargeable footbed with damping elements in heel and forefoot area, antistatic  
**Toe Cap:** MAX-LIGHT toe cap out of composite material, extra wide  
**Midsole:** MAX-FLEX non-metallic, high flexible, penetration resisting midsole, a multilayer construction out of a ceramic fibre  
**Sole:** MAX-OUTDOOR sole PU/PU 5mm outdoor profile, self-cleaning, especially slip-resistant, damping element in heel area, antistatic, oil and petrol resistant  
**Sole color:** black  
**Sizes:** 38-50  
**weight:** 720g/size 42  
**Other characteristics:** overcap and heel for leather protection, large size spectrum up to size 50, especially slip-resistant according to test method EN 13287:2012/SRC

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://safetyjogger.nt-rt.ru> || [sgg@nt-rt.ru](mailto:sgg@nt-rt.ru)