



SRC CERTIFIED SLIP RESISTANCE

Slip resistant soles are one of the most vital elements in safety footwear. Every safety shoe standard says safety footwear must have at least one type of slip resistant sole.

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://safetyjogger.nt-rt.ru> || sgg@nt-rt.ru

OBELIX S3



NAV



ALUMINIUM TOE CAP

Aluminium toe caps bring the resistance of steel toes to a lighter weight (30-50% lighter than steel). Alloy toes have a low profile, which makes them ideal for sportive safety shoes. The average weight of the aluminum cap is about 50/60gr.

This is a safety sneaker

Sole	Rubber
Toecap	Aluminium
Midsole	Puncture resistant SJ FLEX
Lining	Nalo mesh
Insole	SJ Hybrid
Category	S3 / SRC ESD
Size range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



S045 S3



BLK

S035 S3



BLK



S036
WHT



MAX-RELAX

Footbed with damping elements in the heel and forefoot area. The MAX-relax has an EVA carrier, is antibacterial and antistatic. The surface is made of abrasion resistant textile.

Sporty, mid-cut safety shoe for daily protection

Sole	Rubber
Toecap	Steel
Midsole	Puncture resistant MAX FLEX
Lining	Breathable
Insole	MAX-Relax, replaceable
Category	S3 / SRC
Size range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



SRC

Slip resistant soles are one of the most vital elements in safety footwear. Every safety shoe standard says safety footwear must have at least one type of slip resistant sole.

Sporty, low-cut safety shoe for daily protection

Sole	Rubber
Toecap	Steel
Midsole	Puncture resistant MAX FLEX
Lining	Breathable
Insole	MAX-Relax, replaceable
Category	S3 / SRC
Size range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (812)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

S030 S1P

<http://safetyjogger.nt-rt.ru> || sgg@nt-rt.ru

S312 S3



BLU



WHT



Puncture resistant MAX FLEX

Puncture resistant MAX FLEX is made from Aramid fibers. It's more flexible and lighter compared to steel midsoles. These midsoles don't conduct cold, heat and electricity.

Sporty, mid-cut safety shoe for daily protection

Sole	Rubber
Toecap	Steel
Midsole	Puncture resistant MAX FLEX
Lining	Breathable
Insole	MAX-Relax, replaceable
Category	S1P / SRC
Size range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



DGUV 112-191

These shoes are suitable for orthopedic insoles and orthopedic alterations. Certified according to BGR 191.

Low-cut safety shoe with excellent damping

Sole	PU/TPU
Toecap	Composite
Midsole	Puncture resistant MAX FLEX
Lining	Three dimensional, breathable
Insole	MAX-3Fit*
Category	S3 / SRC ESD
Size range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5

